

# SUMMIT COUNTY HEALTH DEPARTMENT REQUIREMENTS FOR NEW FOOD ESTABLISHMENTS

#### 1. Hand Sink:

- Easily accessible- at least 1 per food prep and server areas.
- One or more required depending on work area and size of kitchen.
- Equipped with soap, paper towels, hot water, garbage can and signs posted that notify employees to wash their hands.

#### 2. Dish Wash Sinks:

- At least one three-compartment sink installed with an indirect drain.
- Sinks should be large enough to accommodate the largest piece of equipment to be washed. There must be drain boards on both sides.
- Sanitizing test strips shall be used to determine the concentration of the sanitizing solution.
- Sinks must be sealed to the wall.

## 3. Additional Sink Recommended:

- One or two-compartment produce sink with indirect drain if applicable.

### 4. Janitorial or Service Sink:

- One enclosed utility sink or janitorial sink required.
- Walls need to be FRP (Fiber Reinforced Plastic) or equivalent.

#### 5. Auto Dishwasher:

- The dishwasher is a convenience and cannot be substituted for a 3 comp sink.
- Must be commercial and meet temperature requirements.
- Low temp chemical dishwasher 120°F with sanitizer.
- High temp-180°F.

### 6. Lighting:

- Shielded or shatterproof bulbs in food preparation area and must meet 50 foot candles.

#### 7. Floors:

- Food prep and storage areas need to be sealed, smooth, and impervious.
- Examples: quarry tiles, commercial linoleum, or equivalent.
- Flooring in food prep areas must be coved.

#### 8. Walls:

- Dish wash area must be tile, stainless steel, FRP, or equivalent.
- Oven and grill area must be tile, stainless steel, or equivalent.
- All other wall surfaces must be smooth and cleanable, absent of holes.
- No exposed utility service lines and pipes.

## 9. Ceilings:

- Smooth and impervious surface required. No missing or damaged tiles.
- Ceilings are required in all food prep areas. No exposed pipes or duct work.

## 10. Dry Storage:

- Shelves need to be metal or sealed and at least 6 inches above the floor.

## 11. Refrigeration:

- Walk in cooler sized appropriately for food supply.
- Freezer sized appropriately.
- Refrigeration units must hold at 41°F or below.
- Thermometers need to be located in each cold holding unit.

### 12. Food Contact Surface:

- Smooth, impervious, and cleanable. Stainless steel or equivalent.

### 13. Nonfood Contact Surfaces

- Smooth, nonabsorbent, and easily cleanable.

# 14. Dressing Room:

- If employees routinely change clothes to a required uniform.
- Storage for food employees' personal items away from prep areas.

# 15. Chemical Storage Area away from food prep areas.

## 16. Ventilation:

- If necessary to keep rooms free of excessive heat, condensation, vapors, obnoxious odors, smoke and fumes.
- Hood systems should be sufficient in number and capacity to prevent grease or condensation from collecting on walls and ceilings.

#### 17. Restrooms:

- Equipped with soap, paper towels, hot water, and a garbage can.
- Covered garbage cans in the women's restroom.

## 18. Equipment:

- Must be American National Standards Institute (ANSI) accredited, Underwriters Laboratory (UL), or National Safety Foundation (NSF) and must be commercial rated.
- Spec sheets must be provided with plan review for all equipment.

## 19. Ice Machine:

- Must be indirectly drained with air gap.
- Protected from contamination.

#### 20. Hot Water Heater:

- Needs to be stand alone for your establishment.
- Needs to be appropriately sized for all hot water flow at peak usage.

# 21. Solid Full Sources: (Wood fired ovens)

- Need to have a catalytic converter.

# For additional information contact: Amy Jones 435-333-1502